

**Listing of the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously presented) A method, comprising:  
making a request in a device for establishing a connection with a receiver,  
as a response to a failed attempt for establishing the connection, the device automatically starting a multimedia messaging service (MMS) and activating a recording function of a sound clip,  
recording a voice message as a sound clip of a multimedia message in a volatile random access memory of the device, and  
transmitting the created multimedia message to the receiver.
2. (Previously presented) The method according to claim 1, wherein an identifier is included in the multimedia message, by which identifier the multimedia message can be identified as created automatically as a response to a failed attempt for establishing the connection.
3. (Previously presented) The method according to claim 1, wherein in addition to the sound clip, one or a combination of the following is attached in the multimedia message: text, picture, and video image.
4. (Previously presented) The method according to claim 1, wherein the multimedia message containing the recorded sound clip is automatically transmitted to the receiver.
5. (Previously presented) The method according to claim 1, wherein the multimedia message containing the recorded sound clip is transmitted to the receiver as a response to a confirmation of a message sending function.
6. (Previously presented) The method according to claim 1, wherein the multimedia message is transmitted to a number to which the original request for establishing connection was made.

7. (Previously presented) The method according to claim 1, wherein the multimedia message is transmitted to a voicemail box of a number to which original request for establishing a connection was made.

8. (Currently Amended) A device, comprising:  
a control unit, arranged to make a request for establishing a connection with a receiver, wherein said control unit is arranged to automatically start a multimedia messaging service (MMS) and activate a recording function of a sound clip as a response to a failed attempt for establishing the connection,  
a random access memory, arranged to record a voice message as a sound clip of a multimedia message, and  
a transmitter, arranged to transmit the created multimedia message to the receiver.

9. (Previously presented) The device according to claim 8, wherein the multimedia message includes an identifier indicating that the multimedia message was created automatically.

10. (Previously presented) The device according to claim 8, wherein in addition to the sound clip, one or a combination of the following is attached to the multimedia message: text, picture, and video image.

11. (Previously presented) The device according to claim 8, wherein the created multimedia message is transmitted automatically to a number of the receiver to which the original request for establishing the connection was made.

12. (Previously presented) The device according to claim 8, wherein the created multimedia message is transmitted as a response to a confirmation of a multimedia message transmission function.

13. (Previously presented) The device according to claim 8, wherein the multimedia message is transmitted to a number to which the original request for establishing the connection was made.

14. (Previously presented) The device according to claim 8, wherein the multimedia message is transmitted to a voicemail box connected to a number to which the original request for establishing the connection was made.

15. (Canceled)

16. (Currently Amended) A computer program product having program code stored on a readable medium for execution by a processor in a device, wherein the program code comprises:

- instructions for making a request for establishing a connection with a receiver,
- instructions for automatically starting a multimedia messaging service (MMS) of the device and for activating a recording function of a sound clip automatically as a response to a failed attempt for establishing the connection,
- instructions for recording a voice message as a sound clip of a multimedia message in a volatile random access memory of the device, and
- instructions for transmitting the created multimedia message to the receiver.

17. (Currently Amended) A device, comprising:

- means for making a request for establishing a connection with a receiver,
- means for automatically starting a multimedia messaging service (MMS) of the device and for activating a recording function of a sound clip of said service automatically as a response to a failed attempt for establishing the connection,
- means for recording a voice message as a sound clip of a multimedia message in a volatile random access memory of the device, and
- means for transmitting the created multimedia message to the receiver.